

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	631	715/516,523,539.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 12:50
L2	288	715/515.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 12:50
L3	108	determin\$6 near6 (data document object\$2 unit\$2) near6 (complex complicat\$4) near5 (data near3 process\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 12:51
L4	79118	((independent dependent) near5 (device\$2 format\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 12:55
L5	603	pars\$4 near5 (document\$2 image\$2) near5 object\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 12:58
L6	304	(dependent near3 format) and (independent near3 format)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 12:58
L7	49	6 and pars\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 13:00
L8	43	7 and (object\$2 unit\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 13:01
L9	8	("5767833" "5485568" "5829053" "5535372" "5758151" "5548731" "5410655" "4815034").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 13:04
L10	70	hohensee.inv.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 13:04
L11	6531	palmer.inv.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 13:04

EAST Search History

L12	49	rijavec.inv.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 13:05
L13	6638	10 11 12	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 13:05
L14	0	10 and 11 and 12	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 13:05
L15	5	10 and 12	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/03/15 13:05



Welcome United States Patent and Trademark Office

☐ Search Session History[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Wed, 15 Mar 2006, 10:51:58 AM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 (parsing document into objects<in>metadata)
- #2 (((parse document) or (parse file)<in>metadata) <and> (objects<in>metadata))<and> (units<in>metadata))
- #3 ((device-dependent format<in>metadata) <and> (device-independent format<in>metadata))
- #4 ((convert or format<in>metadata) <and> (dependent format<in>metadata)) <and> (independent format<in>metadata))
- #5 ((require more data processing<in>metadata) <or> (require less data processing<in>metadata))
- #6 (parse objects into units<in>metadata)
- #7 ((classify<in>metadata) <and> (presentation<in>metadata))<and> (convert or format<in>metadata))
- #8 ((dependent <in>metadata) <and> (independent <in>metadata))<and> (format or convert<in>metadata))

Indexed by


[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2006 IE